


RECEIVED
CENTRAL FAX CENTER
MAR 16 2009

AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions of claims in the application.

Claims 1-36 (canceled)

Claim 37 (previously presented): A compound of formula (I)




in which

X represents halogen, C₁-C₆-alkyl, C₁-C₆-alkenyl, C₁-C₆-alkynyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyloxy, C₁-C₆-alkylthio, C₁-C₆-alkylsulphinyl, C₁-C₆-alkylsulphonyl, C₁-C₆-haloalkoxy, C₃-C₆-haloalkenyloxy, nitro, or cyano; or represents phenyl, phenoxy, phenylthio, benzyloxy, or benzylthio, each of which is optionally mono- or disubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro, or cyano,

W and Y independently of one another represent hydrogen, halogen, C₁-C₆-alkyl, C₁-C₆-alkenyl, C₁-C₆-alkynyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, nitro, or cyano,

Z represents optionally substituted pyrazolyl or benzpyrazolyl, and

CKE represents one of the groups



in which

A represents hydrogen; represents C₁-C₁₂-alkyl, C₃-C₈-alkenyl, C₁-C₁₀-alkoxy-C₁-C₈-alkyl, or C₁-C₁₀-alkylthio-C₁-C₆-alkyl, each of which is optionally mono- to pentasubstituted by halogen; represents

CS8689

- 2 -





- C₃-C₈-cycloalkyl that is optionally mono- to trisubstituted by halogen, C₁-C₆-alkyl, C₁-C₂-haloalkyl, or C₁-C₆-alkoxy and in which one or two ring members that are not directly adjacent are optionally replaced by oxygen and/or sulphur; or represents phenyl, naphthyl, hetaryl having 5 or 6 ring atoms, phenyl-C₁-C₆-alkyl, or naphthyl-C₁-C₆-alkyl, each of which is optionally mono- to trisubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkoxy, cyano, or nitro,
- B represents hydrogen, C₁-C₁₂-alkyl, or C₁-C₈-alkoxy-C₁-C₆-alkyl, or
- A, B and the carbon atom to which they are attached represent saturated C₃-C₁₀-cycloalkyl or unsaturated C₅-C₁₀-cycloalkyl in which one ring member is optionally replaced by oxygen or sulphur and that are optionally mono- or disubstituted by C₁-C₈-alkyl, C₃-C₁₀-cycloalkyl, C₁-C₈-haloalkyl, C₁-C₈-alkoxy, C₁-C₈-alkylthio, halogen, or phenyl, or
- A, B and the carbon atom to which they are attached represent C₃-C₆-cycloalkyl that is substituted by an alkylenediyl group that optionally contains one or two oxygen and/or sulphur atoms that are not directly adjacent and that is optionally mono- to tetrasubstituted by C₁-C₄-alkyl or by an alkylenedioyl or an alkylenedithioyl group that, together with the carbon atom to which it is attached, forms a further five- to eight-member ring; or represent C₃-C₈-cycloalkyl or C₅-C₈-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent C₂-C₆-alkanediyl, C₂-C₆-alkenediyl, or C₄-C₆-alkanediendiyl, each of which is optionally mono- to disubstituted by C₁-C₆-alkyl, C₁-C₆-alkoxy, or halogen and in which one methylene group is optionally replaced by oxygen or sulphur,
- D represents hydrogen; represents C₁-C₁₂-alkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, or C₁-C₁₀-alkoxy-C₁-C₈-alkyl, each of which is optionally mono- to pentasubstituted by halogen; represents C₃-C₈-cycloalkyl that is optionally mono- to trisubstituted by halogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, or C₁-C₄-haloalkyl and in which one ring member is optionally replaced by oxygen or sulphur; or represents phenyl, hetaryl

CS8689

- 3 -

having 5 or 6 ring atoms, phenyl-C₁-C₆-alkyl, or hetaryl-C₁-C₆-alkyl
 having 5 or 6 ring atoms, each of which radicals is optionally mono- to
 trisubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy,
 C₁-C₆-haloalkoxy, cyano, or nitro, or


A and D together represent C₃-C₆-alkanediyl or C₃-C₆-alkenediyl in which
 one methylene group is optionally replaced by a carbonyl group,
 oxygen, or sulphur and that is optionally mono- or disubstituted by
 halogen, hydroxyl, or mercapto, by C₁-C₁₀-alkyl, C₁-C₆-alkoxy,
 C₁-C₆-alkylthio, C₃-C₇-cycloalkyl, phenyl, or benzyloxy, each of which
 is optionally mono- to trisubstituted by halogen, or by a further C₃-C₆-
 alkanediyl group, C₃-C₆-alkenediyl group, or butadienyl group that is
 optionally substituted by C₁-C₆-alkyl or in which two adjacent
 substituents together with the carbon atoms to which they are attached
 optionally form a further saturated or unsaturated cycle having 5 or 6
 ring atoms that optionally contains oxygen or sulphur or that optionally
 contains one of the groups



CS8689

- 4 -

G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur, and

M represents oxygen or sulphur,

R¹ represents C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, C₁-C₈-alkylthio-C₁-C₈-alkyl, or poly-C₁-C₈-alkoxy-C₁-C₈-alkyl, each of which is optionally mono- to pentasubstituted by halogen; represents C₃-C₈-cycloalkyl that is optionally mono- to trisubstituted by halogen, C₁-C₆-alkyl, or C₁-C₆-alkoxy and in which one or more ring members that are not directly adjacent are optionally replaced by oxygen and/or sulphur; represents phenyl that is optionally mono- to trisubstituted by halogen, cyano, nitro, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, C₁-C₆-alkylthio, or C₁-C₆-alkylsulphonyl; represents phenyl-C₁-C₆-alkyl that is optionally mono- to trisubstituted by halogen, nitro, cyano, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkyl, or C₁-C₆-haloalkoxy; represents 5- or 6-membered hetaryl that is optionally mono- or disubstituted by halogen or C₁-C₆-alkyl; represents phenoxy C₁-C₆-alkyl that is optionally mono- or disubstituted by halogen or C₁-C₆-alkyl; or represents 5- or 6-membered hetaryloxy C₁-C₆-alkyl that is optionally mono- or disubstituted by halogen, amino, or C₁-C₆-alkyl,

R² represents C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₂-C₈-alkyl, or poly-C₁-C₈-alkoxy-C₂-C₈-alkyl, each of which is optionally mono- to pentasubstituted by halogen; represents C₃-C₈-cycloalkyl that is

CS8689

- 5 -

optionally mono- or disubstituted by halogen, C₁-C₆-alkyl, or C₁-C₆-alkoxy; or represents phenyl or benzyl, each of which is optionally mono- to trisubstituted by halogen, cyano, nitro, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-haloalkyl, or C₁-C₆-haloalkoxy,

R³ represents C₁-C₈-alkyl that is optionally mono- to nonasubstituted by halogen; or represents phenyl or benzyl, each of which is optionally mono- to trisubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano, or nitro,

R⁴ and R⁵ independently of one another represent C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₈-alkylamino, di(C₁-C₈-alkyl)amino, C₁-C₈-alkylthio, C₂-C₈-alkenylthio, or C₃-C₇-cycloalkylthio, each of which is optionally mono- to pentasubstituted by halogen; or represent phenyl, phenoxy, or phenylthio, each of which is optionally mono- to trisubstituted by halogen, nitro, cyano, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio, C₁-C₄-alkyl, or C₁-C₄-haloalkyl,

R⁶ and R⁷ independently of one another represent hydrogen; represent C₁-C₈-alkyl, C₃-C₈-cycloalkyl, C₁-C₈-alkoxy, C₃-C₈-alkenyl, or C₁-C₈-alkoxy-C₁-C₈-alkyl, each of which is optionally mono- to pentasubstituted by halogen; represent phenyl that is optionally mono- to trisubstituted by halogen, C₁-C₈-haloalkyl, C₁-C₈-alkyl, or C₁-C₈-alkoxy; or represent benzyl that is optionally mono- to trisubstituted by halogen, C₁-C₈-alkyl, C₁-C₈-haloalkyl, or C₁-C₈-alkoxy; or R⁶ and R⁷ together represent a C₃-C₆-alkylene radical that is optionally mono- or disubstituted by C₁-C₄-alkyl and in which one carbon atom is optionally replaced by oxygen or sulphur,

R¹³ represents hydrogen; represents C₁-C₈-alkyl or C₁-C₈-alkoxy, each of which is optionally mono- to trisubstituted by halogen; represents C₃-C₈-cycloalkyl that is optionally mono- to trisubstituted by halogen, C₁-C₄-alkyl, or C₁-C₄-alkoxy and in which one methylene group is optionally replaced by oxygen or sulphur; or represents phenyl, phenyl-

C₁-C₄-alkyl, or phenyl-C₁-C₄-alkoxy, each of which is optionally mono- or disubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro, or cyano,

R¹⁴ represents hydrogen or C₁-C₈-alkyl, or

R¹³ and R¹⁴ together represent C₄-C₆-alkanediyl,

R¹⁵ and R¹⁶ are identical or different and represent C₁-C₆-alkyl, or

R¹⁵ and R¹⁶ together represent a C₂-C₄-alkanediyl radical that is optionally mono- or disubstituted by C₁-C₆-alkyl or C₁-C₆-haloalkyl, or by phenyl that is optionally mono- or disubstituted by halogen, C₁-C₆-alkyl, C₁-C₄-haloalkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkoxy, nitro, or cyano,

R¹⁷ and R¹⁸ independently of one another represent hydrogen; represent optionally halogen-substituted C₁-C₈-alkyl; or represent phenyl that is optionally mono- or disubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro, or cyano, or

R¹⁷ and R¹⁸ together with the carbon atom to which they are attached represent a carbonyl group or represent C₅-C₇-cycloalkyl that is optionally mono- or disubstituted by halogen, C₁-C₄-alkyl, or C₁-C₄-alkoxy and in which one methylene group is optionally replaced by oxygen or sulphur, and

R¹⁹ and R²⁰ independently of one another represent C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, C₁-C₁₀-alkoxy, C₁-C₁₀-alkylamino, C₃-C₁₀-alkenylamino, di(C₁-C₁₀-alkyl)amino, or di(C₃-C₁₀-alkenyl)amino.

Claim 38 (previously presented): A compound of formula (I) according to Claim 37 in which


X represents fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro, or cyano,

W and Y independently of one another represent hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, or C₁-C₄-haloalkoxy,

CS8689

- 7 -

Z represents




in which

V¹ represents hydrogen, fluorine, chlorine, bromine, iodine, C₁-C₆-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano, or nitro, and

V² represents hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl, or C₁-C₂-haloalkyl, or


V¹ and V² together represent C₃-C₄-alkanediyl that is optionally mono- to tetrasubstituted by fluorine and that is optionally interrupted once or twice by oxygen; or represent butadienyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, cyano, or nitro, and

CKE represents one of the groups



(1).

or



(8).

in which


A represents hydrogen, represents C₁-C₆-alkyl, or C₁-C₄-alkoxy-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represents C₃-C₆-cycloalkyl that is optionally mono- or disubstituted by fluorine, chlorine, C₁-C₂-alkyl, trifluoromethyl, or C₁-C₂-alkoxy; or, except for compounds in which CKE is (3), (4), (6), or (7), represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkoxy, cyano, or nitro,

B represents hydrogen, C₁-C₄-alkyl, or C₁-C₂-alkoxyl-C₁-C₂-alkyl or


CS8689

- 8 -

- A, B, and the carbon atom to which they are attached represent saturated C₃-C₇-cycloalkyl or unsaturated C₅-C₇-cycloalkyl in which one ring member is optionally replaced by oxygen or sulphur and that is optionally mono- or disubstituted by C₁-C₆-alkyl, trifluoromethyl or C₁-C₆-alkoxy, with the proviso that Q³ represents hydrogen or methyl; or represent C₅-C₆-cycloalkyl that is substituted by an alkylenediyl group that optionally contains one or two oxygen or sulphur atoms that are not directly adjacent and that is optionally mono- or disubstituted by methyl or ethyl, or by an alkylenedioxy or an alkylenedithiol group that, together with the carbon atom to which it is attached, forms a further five- or six-membered ring, with the proviso that Q³ represents hydrogen or methyl; or represent C₃-C₆-cycloalkyl or C₅-C₆-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent C₂-C₄-alkanediyl, C₂-C₄-alkenediyl, or butadienediyl, each of which is optionally substituted by C₁-C₂-alkyl or C₁-C₂-alkoxy, with the proviso that Q³ represents hydrogen or methyl,
- D represents hydrogen; represents C₁-C₆-alkyl, C₃-C₆-alkenyl, or C₁-C₄-alkoxy-C₂-C₃-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents C₃-C₆-cycloalkyl that is optionally mono- or disubstituted by C₁-C₄-alkyl, C₁-C₄-alkoxy, or C₁-C₂-haloalkyl and in which one methylene group is optionally replaced by oxygen; or, except for compounds in which CKE is (1), represents phenyl or pyridyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, or C₁-C₄-haloalkoxy, or
- A and D together represent C₃-C₅-alkanediyl in which one methylene group is optionally replaced by a carbonyl group, oxygen, or sulphur and that is optionally mono- or disubstituted by C₁-C₂-alkyl or C₁-C₂-alkoxy; or when CKE is (I), together represent one of the groups AD-1 to AD-10



G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur

M represents oxygen or sulphur,

R¹ represents C₁-C₈-alkyl, C₂-C₈-alkenyl, C₁-C₄-alkoxy-C₁-C₂-alkyl, or C₁-C₄-alkylthio-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represents C₃-C₆-

cycloalkyl that is optionally mono- or disubstituted by fluorine, chlorine, C₁-C₂-alkyl, or C₁-C₂-alkoxy and in which optionally one or two ring members that are not directly adjacent are replaced by oxygen; or represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, or C₁-C₂-haloalkoxy,

- R² represents C₁-C₈-alkyl, C₂-C₈-alkenyl, or C₁-C₄-alkoxy-C₂-C₄-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents C₃-C₆-cycloalkyl that is optionally mono-substituted by C₁-C₂-alkyl or C₁-C₂-alkoxy; or represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C₁-C₄-alkyl, C₁-C₃-alkoxy, trifluoromethyl, or trifluoromethoxy,
- R³ represents C₁-C₆-alkyl that is optionally mono- to trisubstituted by fluorine; or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro,
- R⁴ represents C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylamino, di(C₁-C₆-alkyl)amino, C₁-C₆-alkylthio, C₃-C₄-alkenylthio, or C₃-C₆-cycloalkylthio, each of which is optionally mono- to trisubstituted by fluorine; or represents phenyl, phenoxy, or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, cyano, C₁-C₃-alkoxy, C₁-C₃-haloalkoxy, C₁-C₃-alkylthio, C₁-C₃-haloalkylthio, C₁-C₃-alkyl, or trifluoromethyl,
- R⁵ represents C₁-C₆-alkoxy or C₁-C₆-alkylthio,
- R⁶ represents hydrogen; represents C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyl, or C₁-C₆-alkoxy-C₁-C₄-alkyl, each of which is optionally mono- to trisubstituted by fluorine;

CS8689

- 11 -

represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, trifluoromethyl, C₁-C₄-alkyl, or C₁-C₄-alkoxy; represents benzyl that is optionally monosubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, trifluoromethyl, or C₁-C₄-alkoxy, and

R⁷ represents C₁-C₆-alkyl, C₃-C₆-alkenyl, or C₁-C₆-alkoxy-C₁-C₄-alkyl, or

R⁶ and R⁷ together represent a C₄-C₅-alkylene radical that is optionally mono- or disubstituted by methyl or ethyl and in which a methylene group is optionally replaced by oxygen or sulphur.


Claim 39 (previously presented): A compound of formula (I) according to Claim 37 in which

W represents hydrogen, methyl, ethyl, or chlorine,

X represents chlorine, methyl, ethyl, propyl, methoxy, ethoxy, propoxy, trifluoromethyl, difluoromethoxy, or trifluoromethoxy,


Y represents hydrogen or methyl,

Z represents




in which V¹ represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, methoxy, ethoxy, trifluoromethyl, or cyano, and

CKE represents one of the groups



(1),

or



(8),

in which

A represents hydrogen; represents C₁-C₄-alkyl or C₁-C₂-alkoxy-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents cyclopropyl, cyclopentyl, or cyclohexyl; or, when CKE is (5),

CS8689

- 12 -


represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, ethyl, n-propyl, isopropyl, methoxy, ethoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro,

B represents hydrogen, methyl, or ethyl, or


A, B, and the carbon atom to which they are attached represent saturated C₅-C₆-cycloalkyl in which one ring member is optionally replaced by oxygen or sulphur and that is optionally monosubstituted by methyl, ethyl, propyl, isopropyl, trifluoromethyl, methoxy, ethoxy, propoxy, butoxy, or isobutoxy, with the proviso that Q³ represents hydrogen; represent C₆-cycloalkyl that is substituted by an alkylenedioxy group containing two not directly adjacent oxygen atoms, with the proviso that Q³ represents hydrogen; or represent C₅-C₆-cycloalkyl or C₅-C₆-cycloalkenyl in which two substituents together with the carbon atoms to which they are attached represent C₂-C₄-alkanediyl, C₂-C₄-alkenediyl, or butadienediyl, with the proviso that Q³ represents hydrogen,

D represents hydrogen; represents C₁-C₄-alkyl, C₃-C₄-alkenyl, or C₁-C₄-alkoxy-C₁-C₃-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents cyclopropyl, cyclopentyl, or cyclohexyl; or, except when CKE is (1), represents pyridyl or phenyl that is optionally monosubstituted by fluorine, chlorine, methyl, ethyl, n-propyl, isopropyl, methoxy, ethoxy, or trifluoromethyl, or

A and D together represent C₃-C₅-alkanediyl that is optionally mono- or disubstituted by methyl or methoxy and in which one carbon atom is optionally replaced by oxygen or sulphur; or represent the group AD-1



G represents hydrogen (a) or represents one of the groups



in which

- E represents a metal ion equivalent or an ammonium ion,
 L represents oxygen or sulphur
 M represents oxygen or sulphur,
 R¹ represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₂-alkoxy-C₁-alkyl, or C₁-C₂-alkylthio-C₁-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents cyclopropyl or cyclohexyl, each of which is optionally monosubstituted by fluorine, chlorine, methyl, or methoxy; represents phenyl that is optionally mono-substituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy,
 R² represents C₁-C₈-alkyl, C₂-C₆-alkenyl, or C₁-C₄-alkoxy-C₂-C₃-alkyl, each of which is optionally monosubstituted by fluorine; or represents phenyl or benzyl, each of which is optionally mono-substituted by fluorine, chlorine, cyano, nitro, methyl, ethyl, n-propyl, i-propyl, methoxy, ethoxy, trifluoromethyl, or trifluoromethoxy,
 R³ represents methyl, ethyl, n-propyl, or isopropyl, each of which is optionally mono- to trisubstituted by fluorine; or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, tert-butyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro,
 R⁴ represents C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, di(C₁-C₄-alkyl)amino, or C₁-C₄-alkylthio, each of which is optionally mono- to trisubstituted by fluorine; or represents

CS8689

- 14 -

phenyl, phenoxy, or phenylthio, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, cyano, C₁-C₂-alkoxy, C₁-C₂-fluoroalkoxy, C₁-C₂-alkylthio, C₁-C₂-fluoroalkylthio, or C₁-C₃-alkyl,

R⁵ represents methoxy, ethoxy, propoxy, butoxy, methylthio, ethylthio, propylthio, or butylthio,

R⁶ represents hydrogen; represents C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-alkoxy, C₃-C₄-alkenyl, or C₁-C₄-alkoxy-C₁-C₄-alkyl, each of which is optionally mono- to trisubstituted by fluorine; represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, trifluoromethyl, methyl, or methoxy; or represents benzyl that is optionally monosubstituted by fluorine, chlorine, bromine, methyl, trifluoromethyl, or methoxy, and

R⁷ represents methyl, ethyl, propyl, isopropyl, butyl, isobutyl, or allyl, or

R⁶ and R⁷ represent a C₄-C₅-alkylene radical in which one methylene group is optionally replaced by oxygen or sulphur.


Claim 40 (previously presented): A compound of formula (I) according to Claim 37 in which

W represents hydrogen, methyl, or ethyl,

X represents chlorine, methyl, or ethyl,


Y represents hydrogen,

Z represents, in the 4- or 5-position, the group



in which V¹ represents chlorine or methoxy, and

CKE represents one of the groups



in which

A represents hydrogen, C₁-C₄-alkyl, or cyclopropyl,


B represents hydrogen or methyl, or

A, B, and the carbon atom to which they are attached represent saturated C₅-C₆-cycloalkyl in which one ring member is optionally replaced by oxygen and that is optionally monosubstituted by methyl or methoxy, with the proviso that Q³ represents hydrogen,

D represents hydrogen, or

A and D together represent C₃-C₅-alkanediyl in which one carbon atom is optionally replaced by oxygen, and

G represents hydrogen (a) or represents one of the groups



in which

L represents oxygen,

M represents oxygen or sulphur,

R¹ represents C₁-C₆-alkyl or C₁-C₂-alkoxy-C₁-alkyl, and

R² represents C₁-C₈-alkyl or benzyl.

Claims 41-60 (canceled)

Claim 61 (currently amended): A ~~pesticide and/or herbicide and/or fungicide~~ composition comprising one or more compounds of formula (I) according to Claim 36 ~~37~~ and one or more extenders and/or surfactants.

Claims 62-70 (canceled)

CS8689

- 16 -